



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/808,839	03/25/2004	Stephen Strickland	EMC04-01(04011)	6718

47653 7590 09/28/2006

DAVID E. HUANG, ESQ.
BAINWOOD HUANG AND ASSOCIATES LLC
2 CONNECTOR ROAD
WESTBOROUGH, MA 01581

EXAMINER

BONURA, TIMOTHY M

ART UNIT	PAPER NUMBER
----------	--------------

2114

DATE MAILED: 09/28/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/808,839	Applicant(s) STRICKLAND ET AL.	
	Examiner Tim Bonura	Art Unit 2114	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 March 2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 25 March 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date <u>05/31/2005</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

- **Claims 1-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Kurio, U.S. Patent Number 5,774,640.**

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-20 are rejected under 35 U.S.C. 102(b) as being anticipated by Kurio, U.S.

Patent Number 5,774,640.

3. Regarding claim 1:

- a. Regarding the limitation of “in a data storage system having a first storage processor, a second storage processor and a communications subsystem coupled to the first and second storage processors, a method for operating the data storage system during a failure within the communications subsystem,” Kurio discloses a system with a device drive connected to two network controllers for a communication system with storage device attached to the network controllers. (See the abstract, Lines 64-65 of Column 5 and Lines 1-17 of Column 6).

- b. Regarding the limitation of “while the first and second storage processors perform data storage operations, enabling operation of the communications subsystem to provide communications between the first and second storage processors,” Kurio discloses a system a device drive that can communicate between the first and second controllers of the system. (Lines 40-47 of Column 2 and the abstract).

- c. Regarding the limitation of "sensing a failure within a critical portion of the communications subsystem," Kurio discloses a system in which a failover to the second controller will occur upon detection of a failure in the first. (Lines 40-47 of Column 2 and the abstract)
 - d. Regarding the limitation of "resetting an interfacing portion of the communications subsystem in response to the sensed failure to enable one of the first and second storage processors to continue operation," Kurio discloses a system in which a failover to the second controller happens upon detection of a failure in the first by reassigning network and MAC address to the second controller from the first. (Lines 40-53 of Column 2).
- 4. Regarding claim 2, Kurio discloses a system that has a polling protocol for sending messages periodically to test the controllers for failure. Kurio also disclose that retransmissions of the polling request will occur until a maximum number of retries. (Lines 4-16 of Column 10).
 - 5. Regarding claim 3, Kurio discloses a system that can switch the network traffic from a first controller to a second controller upon detection of a failure. (See the abstract). Kurio discloses a system in which a failover to the second controller happens upon detection of a failure in the first by reassigning network and MAC address to the second controller from the first. (Lines 40-53 of Column 2).
 - 6. Regarding claim 4, Kurio discloses a system that can switch the network traffic from a first controller to a second controller upon detection of a failure. (See the abstract).
 - 7. Regarding claim 5, Kurio discloses a system in which the device drive can detect that the controller of one of the computer system is in a DOWN state that can be cause by a lack of power to computer system. (Lines 7-10 of Column 14).
 - 8. Regarding claim 6:

Art Unit: 2114

- e. Regarding the limitation of “a first storage processor, a second storage processor, a communications subsystem having an interfacing portion interconnected between the first storage processor and the second storage processor, a clock circuit coupled to the interfacing portion, and a controller coupled to the interfacing portion and the clock circuit,” Kurio discloses a system with a device drive connected to two network controllers for a communication system with storage device attached to the network controllers. (See the abstract, Lines 64-65 of Column 5 and Lines 1-17 of Column 6).
- f. Regarding the limitation of “enable operation of the interfacing portion to provide communications between the first and second storage processors,” Kurio discloses a system a device drive that can communicate between the first and second controllers of the system. (Lines 40-47 of Column 2 and the abstract).
- g. Regarding the limitation of “sense a failure within the clock circuit,” Kurio discloses a system in which a failover to the second controller will occur upon detection of a failure in the first. (Lines 40-47 of Column 2 and the abstract)
- h. Regarding the limitation of “reset the interfacing portion in response to the sensed failure to enable one of the first and second storage processors to continue operation,” Kurio discloses a system in which a failover to the second controller happens upon detection of a failure in the first by reassigning network and MAC address to the second controller from the first. (Lines 40-53 of Column 2).
- 9. Regarding claim 7, Kurio discloses a system that has a polling protocol for sending messages periodically to test the controllers for failure. Kurio also disclose that retransmissions of the polling request will occur until a maximum number of retries. (Lines 4-16 of Column 10). Kurio also discloses a watchdog timer. (Lines 29-35 of Column 12).

Art Unit: 2114

10. Regarding claim 8, Kurio discloses a system that can switch the network traffic from a first controller to a second controller upon detection of a failure. (See the abstract). Kurio discloses a system in which a failover to the second controller happens upon detection of a failure in the first by reassigning network and MAC address to the second controller from the first. (Lines 40-53 of Column 2).

11. Regarding claim 9, Kurio discloses a system where a device drive and two controllers are connected via a bus. (Lines 64-65 of Column 5 and Lines 1-17 of Column 6, also see Figure 3 items 311, 312, 111a,b and Figure 1, item 101).

12. Regarding claim 10, Kurio discloses a system with dual memory device being mirror and connected to the controllers and the device driver over the communication bus. (Lines 64-65 of Column 5 and Lines 1-17 of Column 6, also see Figure 3 items 311, 312, 111a,b and Figure 1, item 101).

13. Regarding claim 11, Kurio discloses a device driver couple to a first and second networked controller device. (see the abstract and Lines 7-24 of Column 5).

14. Regarding claim 12, Kurio discloses a system in which the device drive can detect that the controller of one of the computer system is in a DOWN state that can be cause by a lack of power to computer system. (Lines 7-10 of Column 14).

15. Regarding claim 13:

- i. Regarding the limitation of "a first storage processor, a second storage processor, a communications subsystem having an interfacing portion interconnected between the first storage processor and the second storage processor, a clock circuit coupled to the interfacing portion, and a controller coupled to the interfacing portion and the clock circuit," Kurio discloses a system with a device drive connected to two network

Art Unit: 2114

controllers for a communication system with storage device attached to the network controllers. (See the abstract, Lines 64-65 of Column 5 and Lines 1-17 of Column 6).

j. Regarding the limitation of "means for enabling operation of the interfacing portion to provide communications between the first and second storage processors," Kurio discloses a system a device drive that can communicate between the first and second controllers of the system. (Lines 40-47 of Column 2 and the abstract).

k. Regarding the limitation of "means for sensing a failure within the clock circuit," Kurio discloses a system in which a failover to the second controller will occur upon detection of a failure in the first. (Lines 40-47 of Column 2 and the abstract)

l. Regarding the limitation of "means for resetting the interfacing portion in response to the sensed failure to enable one of the first and second storage processors to continue operation," Kurio discloses a system in which a failover to the second controller happens upon detection of a failure in the first by reassigning network and MAC address to the second controller from the first. (Lines 40-53 of Column 2).

16. Regarding claim 14:

m. Regarding the limitation of "communications subsystem for a data storage system having a first storage processor and a second storage processor; an interfacing portion configured to interconnect the first storage processor with the second storage processor; a clock circuit coupled to the interfacing portion; a controller coupled to the interfacing portion and the clock circuit," Kurio discloses a system with a device drive connected to two network controllers for a communication system with storage device attached to the network controllers. (See the abstract, Lines 64-65 of Column 5 and Lines 1-17 of Column 6).

- n. Regarding the limitation of "enable operation of the interfacing portion to provide communications between the first and second storage processors," Kurio discloses a system a device drive that can communicate between the first and second controllers of the system. (Lines 40-47 of Column 2 and the abstract).
 - o. Regarding the limitation of "sense a failure within the clock circuit," Kurio discloses a system in which a failover to the second controller will occur upon detection of a failure in the first. (Lines 40-47 of Column 2 and the abstract)
 - p. Regarding the limitation of "reset the interfacing portion in response to the sensed failure to enable one of the first and second storage processors to continue operation," Kurio discloses a system in which a failover to the second controller happens upon detection of a failure in the first by reassigning network and MAC address to the second controller from the first. (Lines 40-53 of Column 2).
17. Regarding claim 15, Kurio discloses a system that has a polling protocol for sending messages periodically to test the controllers for failure. Kurio also disclose that retransmissions of the polling request will occur until a maximum number of retires. (Lines 4-16 of Column 10). Kurio also discloses a watchdog timer. (Lines 29-35 of Column 12).
18. Regarding claim 16, Kurio discloses a system that can switch the network traffic from a first controller to a second controller upon detection of a failure. (See the abstract). Kurio discloses a system in which a failover to the second controller happens upon detection of a failure in the first by reassigning network and MAC address to the second controller from the first. (Lines 40-53 of Column 2).
19. Regarding claim 17, Kurio discloses a system where a device drive and two controllers are connected via a bus. (Lines 64-65 of Column 5 and Lines 1-17 of Column 6, also see Figure 3 items 311, 312, 111a,b and Figure 1, item 101).

Art Unit: 2114

20. Regarding claim 18, Kurio discloses a system with dual memory device being mirror and connected to the controllers and the device driver over the communication bus. (Lines 64-65 of Column 5 and Lines 1-17 of Column 6, also see Figure 3 items 311, 312, 111a,b and Figure 1, item 101).

21. Regarding claim 19, Kurio discloses a device driver couple to a first and second networked controller device. (see the abstract and Lines 7-24 of Column 5).

22. Regarding claim 20, Kurio discloses a system in which the device drive can detect that the controller of one of the computer system is in a DOWN state that can be cause by a lack of power to computer system. (Lines 7-10 of Column 14).

Conclusion

23. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Tim Bonura**.

- The examiner can normally be reached on **Mon-Fri: 8:30-5:00**.
- The examiner can be reached at: **571-272-3654**.

24. If attempts to reach the examiner by telephone are unsuccessful, please contact the examiner's supervisor, **Scott Baderman**.

- The supervisor can be reached on **571-272-3644**.

25. The fax phone numbers for the organization where this application or proceeding is assigned are:

- **703-872-9306 for all patent related correspondence by FAX.**

26. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

Art Unit: 2114

applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov/>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

27. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the **receptionist** whose telephone number is: **571-272-2100**.

28. Responses should be mailed to:

- **Commissioner of Patents and Trademarks**

P.O. Box 1450

Alexandria, VA 22313-1450

Tim Bonura
Examiner
Art Unit 2114

September 25, 2006

A handwritten signature in black ink, appearing to read 'Tim Bonura', with a stylized flourish at the end.